Application No.: 10/041,881 2 Docket No.: 577172003200

AMENDMENTS

In the Claims:

1. (Currently Amended) A method [[of]] <u>for</u> creating links to enhanced content on a video stream comprising the steps of:

enabling a user to halt said video stream so [[at]] <u>as</u> to provide a single video frame for viewing;

providing a graphical user interface for receiving from the user overlaying a portion of said single video frame with a geometric outline [[to identify]] defining a hot spot on said single video frame;

assigning enhancement attributes to said hot spot;

storing said hot spot and said attributes in a generic format;

translating said hot spot and said attributes from said generic format into a first format;

and

embedding said hot spot and said attributes in said first format into a video stream.

(Currently Amended) The method of claim 1 further comprising the additional steps of:
translating said hot spot and said attributes from said generic format into a second format;
and

embedding said hot spot and said attributes in said second format into a video stream.

- 3. (Original) The method of claim 1 wherein said translating is accomplished by an XSL translator.
- 4. (Original) The method of claim 2 wherein said first format is adapted to be displayed on a first set top box and said second format is adapted to be displayed on a second set top box.

Application No.: 10/041,881 3 Docket No.: 577172003200

5. (Original) The method of claim 2 wherein said first format comprises a first set of visual attributes and said second format comprises a second set of visual attributes, said first set of visual attributes and said second set of visual attributes having at least one dissimilar attribute.

- 6. (Original) The method of claim 2 wherein said first format comprises a first set of URL links and said second format comprises a second set of URL links, said first set of URL links and said second set of URL links having at least one dissimilar URL link.
- 7. (Original) The method of claim 2 wherein said first format is adapted to a first language and said second format is adapted to a second language.
- 8. (Currently Amended) A method [[of]] <u>for</u> creating links to enhanced content on a video stream using a template comprising <u>the steps of</u>:

creating a template that defines at least one attribute for a hot spot;

enabling a user to halt said video stream so [[at]] <u>as</u> to provide a single video frame for viewing;

providing a graphical user interface for receiving from the user overlaying a portion of said single video frame with a geometric outline [[to identify]] defining said hot spot on said single video frame;

assigning at least one attribute to said hot spot based on said template; and embedding said hot spot and said attributes in said specific a first format into a video stream.

9. (Original) The method of claim 8 wherein said template comprises a visual attribute for a hot spot.

- 10. (Original) The method of claim 8 wherein said template comprises a language attribute for a hot spot.
- 11. (Original) The method of claim 8 wherein said template comprises a URL link attribute for a hot spot.
- 12. (Original) The method of claim 8 wherein said template comprises an attribute that determines the set top box used to display said hot spot.
- 13. (Currently Amended) A method [[of]] <u>for</u> creating customized links to enhanced content on a video stream using a template comprising <u>the steps of</u>:

creating a template that defines at least one attribute for a hot spot;

enabling a user to halt said video stream so [[at]] as to provide a single video frame for viewing;

providing a graphical user interface for receiving from the user overlaying a portion of said single video frame with a geometric outline [[to identify]] defining said hot spot on said single video frame;

assigning at least one attribute to said hot spot based on said template; storing said hot spot and said attributes in a generic format;

translating said hot spot and said attributes from said generic format into a first format, said translating being done with said template; and embedding said hot spot and said attributes in said first format into a video stream.

changing at least one attribute of said template;

translating said hot spot and said attributes from said generic format into a second format;

5

and

embedding said hot spot and said attributes in said second format into a video stream.

15. (Original) The method of claim 13 wherein said translating is accomplished by an XSL translator.

16. (Original) The method of claim 14 wherein said first format is adapted to be displayed on a first set top box and said second format is adapted to be displayed on a second set top box.

17. (Original) The method of claim 14 wherein said first format comprises a first set of visual attributes and said second format comprises a second set of visual attributes, said first set of visual attributes and said second set of visual attributes having at least one dissimilar attribute.

18. (Original) The method of claim 14 wherein said first format comprises a first set of URL links and said second format comprises a second set of URL links, said first set of URL links and said second set of URL links having at least one dissimilar URL link.

19. (Currently Amended) A method of linking and using enhanced content on a video stream comprising the steps of:

enabling a user to halt said video stream so at to provide a single video frame for viewing;

Application No.: 10/041,881 6 Docket No.: 577172003200

providing a graphical user interface for receiving from the user overlaying a portion of said single video frame with a geometric outline [[to identify]] defining a hot spot on said single video frame;

assigning enhancement attributes to said hot spot; storing said hot spot and said attributes in a generic format;

translating said hot spot and said attributes from said generic format into a first format; embedding said hot spot and said attributes in said first format into a video stream;

displaying said hot spot using a first set top box on a video screen; and allowing a viewer to access said hot spot whereby said viewer may access said enhanced content.

- 20. (Currently Amended) The method of claim 19 further comprising the additional steps of: translating said hot spot and said attributes from said generic format into a second format; embedding said hot spot and said attributes in said second format into a video stream; displaying said hot spot using a second set top box on a video screen; and allowing a viewer to access said hot spot whereby said viewer may access said enhanced content.
- 21. (Original) The method of claim 19 wherein said translating is accomplished by an XSL translator.
- 22. (Original) The method of claim 21 wherein said first set top box and said second set top box are different.

23. (Original) The method of claim 21 wherein said first format comprises a first set of visual attributes and said second format comprises a second set of visual attributes, said first set of visual attributes and said second set of visual attributes having at least one dissimilar attribute.

24. (Original) The method of claim 21 wherein said first format comprises a first set of URL links and said second format comprises a second set of URL links, said first set of URL links and said second set of URL links having at least one dissimilar URL link.

25. (Original) The method of claim 21 wherein said first format is adapted to a first language and said second format is adapted to a second language.